

Resident/Clinical Fellow Name _____

**GSSU-GME Surgery Residency Competencies,
Kenzo Hirose, MD, Program Director**

Competencies define procedures or activities that the resident/clinical fellow can usually perform without on-site supervision: Patient management, including H&Ps and diagnostic and therapeutic treatments, procedures and interventions encompassing the areas described below and similar activities. The underlying patient condition and complexity of the procedure or activity might dictate the need for direct supervision and physical presence of the attending physician. Whenever a question arises about resident/clinical fellow competency to perform a procedure independently, the attending physician should be consulted.

With regard to informed consent, if the procedure or treatment is one that a resident or fellow has demonstrated and documented competency to perform, as determined by their Program Director, then the resident or fellow may have the informed consent discussion with the patient or their surrogate decision maker. Otherwise, it is the responsibility of the attending physician, or other credentialed healthcare provider, who is knowledgeable about the specific surgery, procedure, or treatment, to have an informed consent discussion with the patient or their surrogate decision maker.

R2 Second Year Surgery Resident

Airway management, stable/unstable, trauma: Adult/Pediatrics
Anesthesia - local: Adult/Pediatrics
Anesthesia - field block: Adult/Pediatrics
Anesthesia - peripheral nerve block: Adult/Pediatrics
Ankle-brachial index: Adult/Pediatrics
Arterial line - insert and remove: Adult/Pediatrics
Arthrocentesis -lower extremity: Adult
Bladder irrigation: Adult/Pediatrics
Blood gases - arterial: Adult/Pediatrics
Cardiopulmonary resuscitation - open: Adult
Cardiopulmonary resuscitation - closed: Adult
Cast/splint (apply and remove) - for fracture: Adult
Cast/splint (apply and remove) - for immobilization/protection: Adult/Pediatrics
Chest tube -insert: Adult
Chest tube -remove: Adult/Pediatrics
Compartment pressure measurement: Adult/Pediatrics
Cricothyroidotomy, emergency: Adult
Cultures (urine/sputum/wound): Adult/Pediatrics
Cutdown (venous) -insert and remove: Adult/Pediatrics
Cutdown (arterial) - insert and remove: Adult/Pediatrics
Defibrillation: Adult
Doppler study - venous: Adult/Pediatrics
Doppler study - arterial: Adult/Pediatrics
Doppler study - graft/fistula: Adult/Pediatrics
Drainage tube (fluid/blood/pus - not chest or mediastinal) - insert: Adult
Drainage tube (fluid/blood/pus - not chest or mediastinal) - remove: Adult/Pediatrics

Drug Administration - intravenous: Adult/Pediatrics
Drug administration - intra-arterial: Adult/Pediatrics
Endotracheal suctioning: Adult
Endotracheal/nasotracheal intubation: Adult
Foley catheter -insert and remove: Adult/Pediatric
Gastric lavage: Adult/Pediatrics
Incision and drainage, abscess/fluid collection/cyst: Adult/Pediatrics
Laceration repair: Adult/Pediatrics
Long intestinal tube - insert and remove: Adult/Pediatrics
Lumbar puncture: Adult
Mediastinal tube - remove: Adult
Nasal packing - anterior: Adult
Nasal packing - posterior: Adult
NG tube - insert and remove: Adult/Pediatrics
Other resuscitation: Adult
Other wound care - not debridement (change/replace dressing; clean): Adult/Pediatrics
Pacemaker/pacer wires, transthoracic - remove: Adult
Pacemaker/pacer wires, transvenous - insert and remove: Adult
Paracentesis/acute PD catheter: Adult
Percutaneous needle aspiration/drainage/biopsy for fluid collection/cyst/abscess/mass: Adult
Perform/interpret lab tests (spin HCT/do, UA/EKG/gram stain/peripheral smear/etc.): Adult/Pediatrics
Peritoneal lavage: Adult
Phlebotomy (including blood cultures): Adult/Pediatrics
Pulmonary artery catheter - insert and remove: Adult
Rectal tube -insert and remove: Adult/Pediatrics
Remove foreign body: Adult/Pediatrics
Sigmoidoscopy/anoscopy - with biopsy: Adult
Sigmoidoscopy/anoscopy - without biopsy: Adult
Sutures/staples - insert and remove: Adult/Pediatrics
Thoracentesis: Adult
Thoracotomy, emergency: Adult
Tracheotomy, emergency: Adult
Umbilical artery catheter - remove: Pediatrics
Wound debridement: Adult/Pediatrics

Signatures:

Program Director

Date

Resident/Clinical Fellow

Date

